

# LEAP 技能試験


## 水の化学分析/微生物分析

2020 年 1 月～2021 年 3 月 日本版プログラム



株式会社セントラル科学貿易



Proficiency Testing from  fera

## 目次

このプログラムについて .....	4
技能試験までの流れと注意事項 .....	5
技能試験最新情報、分析項目の確認方法 .....	8
<b>DRINKING WATER &lt; 飲料水 &gt; .....</b>	<b>10</b>
Acid Herbicides.....	10
BTEX .....	10
Chlorine .....	10
Contamination Incident .....	10
Fluorosurfacants (PFOS &PFOA).....	11
Haloacetic Acids .....	11
Hexavalent Chromium .....	11
Inorganic Disinfection By-products .....	11
Major Inorganic Components .....	12
Non-Routine Metals .....	12
OC Pesticides.....	13
OP Pesticides.....	13
Perchlorate.....	13
Polycyclic Aromatic Hydrocarbons.....	13
Routine Components .....	14
Routine Metals.....	14
Taste & Odour Chemical Identification .....	15
Total Cyanide .....	15
Triazines & Urea Herbicides .....	15
Trihalomethanes / Chlorinated Solvents .....	15
Uranium.....	16
<b>HIGH SALINITY WATER &lt; 高塩分水 &gt; .....</b>	<b>16</b>
Complex Nutrients.....	16
Minerals .....	16
Simple Nutrients.....	16
Trace Metals 3 .....	17
Trace Metals 4 .....	17

---

WASTE WATER < 廢水 > .....	17
Anions.....	17
Demand .....	18
Dissolved Oxygen.....	18
Hexavalent Chromium .....	18
Minerals .....	19
Nutrients .....	19
Oil & Grease .....	20
pH & Electrical Conductivity .....	20
Phthalates (Environmental).....	20
Residues .....	21
Settleable Solids.....	21
Total Cyanide .....	21
Total Sulphide .....	22
Trace Metals 1 .....	22
Trace Metals 2 .....	23
VOC / BTEX.....	23
SURFACE WATER < 表流水 > .....	24
Major Inorganic Components .....	24
Routine Components .....	24
Metals (in 0.5% Nitric Acid) .....	24
INDICATOR ORGANISMS < 指標菌 > .....	25
Bathing Water.....	25
Drinking Water.....	25
Swimming Pool & Spa Water.....	27
PARISITOLOGY < 寄生虫 > .....	27
Drinking Water.....	27
PATHOGENS < 病原菌 > .....	28
Bathing Water.....	28
Swimming Pool & Spa Water.....	29
Water.....	29

---

## このプログラムについて

このプログラムは 2019 年 11 月時点の技能試験情報であり、随時更新はされません。最新の情報は Fera のウェブサイト（[fapas.com/shop](https://fapas.com/shop)）に掲載されます。ウェブサイトの情報が最新であり、このプログラムには掲載されなかった詳細情報や変更等がある場合がございますのでご注意ください。

出荷日とは fera から参加者へ荷物が出荷される予定日です。実際に出荷されると自動送信メールが申込者様へ送られます。LEAP サンプルは全て Fedex での輸送となります。

「技能試験費」には技能試験料金・送料、必要に応じて植物検疫証明書・動物検疫書類等輸入時に必要な書類の手配料金が含まれます。単位は円です。税金は含まれていません。

出荷日が同じ技能試験に複数お申込の場合は送料相当額が割引となります。実際の金額はお問い合わせください。

2020 年 1 月-12 月出荷の技能試験と、2021 年 1 月-3 月出荷の技能試験は分けてお申込ください。  
20120 年用参加登録申込書と 2021 年用参加登録申込書がございます。

お問い合わせはメールのみで受付させていただいております。ご不明な点は以下メールアドレスまでご連絡ください：

[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)

---

## 技能試験までの流れと注意事項

お申込の際は必ず『技能試験までの流れと注意事項』を熟読し、ご承認頂きました後にお願い申し上げます。また、申込書にはご承認いただきお名前を記入していただく欄がございます。ここが空欄の申込書は受付できませんのでご注意ください。

弊社ホームページの FAPAS 専用ページ (<http://www.cscjp.co.jp/fera/order.html>) から以下の専用フォームを必要に応じてダウンロードしてください。

- 参加登録申込書
- 見積申込書
- 請求書送付先変更依頼書

お問い合わせ先・申込書送付先：[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)

### ステップ1 お申込

- ・参加登録申込書に必要事項をご記入後、メールに添付して『[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)』へ送信してください。PDF 等に変換せずエクセルファイルでお送りください。参加登録申込書は各お申込者様毎に作成ください。
- ・各技能試験のお申込み締切はサンプル出荷日の 4 週間前までとなります。締切前でも技能試験用サンプルがなくなった時点で受付が終了となりますので、予めご了承下さい。
- ・お申込みの前に事前見積書が必要な場合は見積申込書に必要事項をご記入の上、『[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)』へメール添付にてお送り下さい。参加登録申込書同様に見積申込書も各お申込者様毎に作成ください。見積書の提出がお申込み後で良い場合は技能試験見積依頼書は不要です。参加登録申込書の⑩備考欄に見積書発行希望とご明記の上お申込みを行ってください。

### ステップ2 お申込内容の確認

- ・お申込み後、Fera から 10 日営業日以内にお申込者様宛てに『PT Order Confirmation』（注文内容確認）のメールが届きます。連絡が無い場合やお申し込みされた内容と異なっていた場合は、受信後一週間以内に弊社までご連絡下さい。
- ・初めてご参加いただく場合、お申込み後 10 日営業日以内に、Fera より専用ページへログインするための Username とパスワード設定方法が記載されたメールが送られます。専用ページから結果報告やレポート閲覧を行っていただきますので、必ずご確認いただき、パスワードの設定をおこなってください。

### ステップ3 お支払い【重要】

- ・お申込みが完了しましたら、通常試験サンプル到着前に弊社よりご入金用の納品書・請求書を送付させていただきます。これは Fera への支払をもって技能試験への参加資格を得られるとする Fera の利用規約に基づいております。
  - ・納品書・請求書はお申し込み頂いたご担当者様宛てにお届けさせていただきます。請求書送付先が分析用サンプル送付先と異なる場合は、別途『請求書送付先変更依頼書』にて請求書の宛先をご指定ください。
  - ・請求書は通常、お申込月末締め、翌月末銀行振込のお支払条件で発行いたします。このお支払条件以外での請求書発行をご希望される場合はお申し込み時にご相談ください。
  - ・銀行振込のみお受けしております。手形や理化学業者様を経由してのお支払いはお受け致しかねます。尚、振込手数料はお客様のご負担にてお願い致します。
-

#### ステップ4 分析用サンプルの送付

- ・分析用サンプルは、プログラムに記載されている出荷日に Fera からお申込者様宛てに出荷されます。
- ・プログラムでクーリエ輸送となっているラウンドはクーリエで、そのほかは国際郵便にて発送されます。
- ・クーリエの場合は出荷日から約4日営業日内、国際郵便の場合は約10日営業日以内に到着予定ですが、もしこの期間を過ぎても到着しない際は、到着予定期間から3日以内に弊社担当者までメールでご連絡下さい。サンプルの再送手配を行います。ご連絡を頂けない場合、サンプルの再送手配などが行えないことがあります。
- ・サンプルが出荷される際、Fera よりお申込者様宛てに出荷案内メールが送付されます。クーリエ輸送の場合は送り状番号も知らされますので輸送会社のウェブサイトにて送り状番号を検索すると、荷物の輸送状況をご確認頂けます。

#### ステップ5 輸送会社からの通関連絡

- ・出荷されたサンプルが国内に到着すると、輸送会社から参加者様へ荷物の内容物について質問される場合があります。この場合は、『[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)』へメールでご連絡下さい。弊社から連絡致します。

#### ステップ6 分析用サンプルの到着

- ・分析用サンプルが届きましたら、サンプルが漏れていないか、またお申し込みの数量に間違いがないかご確認下さい。代替品の再送が必要な場合は、早急に再送手配を行いますので『[fapas.info@cscjp.co.jp](mailto:fapas.info@cscjp.co.jp)』へメールでご連絡下さい。
- ・再送を行った場合でも分析や報告に関する期限（例えば、FEPAS の検査開始期限や報告締切日）は延長されませんので、予めご了承下さい。
- ・一箱に複数のサンプルがまとめて入っていることがあります。箱を開封した際は必ず中身をご確認下さい。
- ・通関時に発生したサンプルのダメージ・紛失及び関税の責任は弊社及び Fera では負いません。出荷された後のリスクは技能試験参加者様が負うことになりますので予めご了承ください。

#### ステップ7 分析

- ・分析を始める前に、FAPAS ウェブサイト (<http://fapas.com/>) より報告締切日等が記載されたインストラクションレター(技能試験要項)をダウンロードし、必要事項をご確認下さい。レターに記載されている注意点などを良くお読みになり、十分に内容をご理解頂いてから分析を始めて下さい。原則的に Fera から分析法を指定することはありませんので、通常使用されている方法で分析を行って下さい。ただし FEPAS では前処理方法が規定されていますので、必ず規定された前処理を行ってから分析を開始してください。
- ・FEPAS の場合は分析開始期限がサンプルの発送日から9日以内、結果報告期限が2週間以内と決められていますので、その期限までに必ず分析を開始し、結果報告を行って下さい。

#### ステップ8 分析結果の報告

- ・多くの技能試験では出荷日から6-8週間後が結果報告期限となっています。実際の日時はインストラクションレター(技能試験要項)をダウンロードしてご確認ください。
- ・インターネットでの結果のご報告となります。分析終了後、レターに記載されている URL にアクセスしていただき、Username、パスワードを入力して、参加者様のセキュア・ページにログインしてから行います。
- ・ご報告は設問に答える形で、順次結果を入力して、入力が完了しましたら、送信ボタンを押して下さい。分析結果以外に使用した分析法に関する情報もご報告できます。（必須ではありません）。
- ・ご報告は必ず報告締切日までに行って下さい。締切日を過ぎてからのご報告は認められませんのでご注意下さい。締切日の締切時間はイギリス時間の深夜0時となります。



## ステップ9 評価レポートの発行

- ・各参加者様の結果はFeraにて集計され、統計解析を経た後、技能評価を行います。通常、報告締切日から約25日後に評価レポートが発行されます。発行の旨は、各参加者様にFeraから直接メールにて連絡されます。Feraのセキュア・ページにログインして、評価レポートをご覧下さい。
- ・レポートはPDF形式となっておりますので、ご自身のコンピューターにダウンロードしたり、印刷することが可能です。
- ・PDFレポートの発行料は、技能試験参加登録料に含まれています。
- ・レポートにはZスコア以外にも、技能試験の標準偏差や付与値などの統計値の他、各参加者様のZスコアや使用した分析法・分析条件等が掲載されておりますので、他のラボとの比較を簡単に行えるようになっています。
- ・参加者様はすべてコードナンバーで表され、匿名になっておりますので、ラボを特定することはできません。
- ・レポートは全て英語となります

### <キャンセル料のご案内>

お申込みいただきました技能試験は注文後14日以内でしたらお取り消し可能でございます。注文後14日以降はご連絡をいただいた日により下記の通りキャンセル料を申し受けております。

- ・出荷日の1か月前から：全額お支払いいただきます。
  - ・出荷日の1か月以上前から：料金の50%をお支払いいただくか、別の技能試験への振替となります。
- ※別の技能試験へ振り替えた場合は差額が発生することがございますので予めご了承ください。

### <追加サンプルについて>

追加サンプルはラウンドリストに掲載されているサンプル送付量では分析に足りない場合にお申込みいただき、サンプル量を増やしていただくものになります。技能試験1、追加サンプル1でお申込みいただくと、同じサンプルが二つ届きますが、結果報告できるのは一つ分となります。別々に分析し、結果報告を二つ分行いたい場合は技能試験2でお申込みください。尚、追加サンプルは通常技能試験1に対して4つまでお申込み可能ですが、それ以上をご希望される場合は予めご相談ください。サンプル数量が十分でない場合は技能試験申し込みの方が優先され、追加サンプルを確保できない場合がございます。また、追加サンプル量が多くなると追加の送料が発生する場合がございます。

### <申込書に記載いただくメールアドレスについて>


申込書にご記入いただくメールアドレスはお申込者様固有のものにしてください。結果報告やレポート閲覧を行うセキュアページはメールアドレスで管理されておりますため、一つのメールアドレスを複数の方が登録しますと、システムエラーを起こしセキュアページへログインできなくなることがございます。また、同様の理由で事業所をご異動された場合は過去の登録を削除する必要がありますので、お申し込み時にご連絡ください。

---

## 技能試験最新情報、分析項目の確認方法

技能試験最新情報を以下の手順でご確認ください。分析項目の詳細もここでご確認ください。

- ① <https://fapas.com/> にアクセスし、申込番号（例：DWC0123）を入力して「SEARCH」をクリックしてください。



- ② 該当のリストをクリックしてください。





- ③ 技能試験詳細（マトリックス、送付量、分析項目）が表示されますのでご希望に合う技能試験かご確認ください。本書に掲載されている情報と異なることがあります。HP の情報が最新情報になります。



Photograph for illustrative purposes only

例：本プログラムでは分析項目が「Major Inorganic Components」と記載されています。実際の項目はHPに記載されていますのでご確認ください

### + Specifications

**Product Code**  
FWIC1-DRW1

**Proficiency Test**  
DWC0123

**Matrix**  
Drinking Water

**Analytes**  
Chloride, Sulphate, Alkalinity, Total Hardness, Calcium, Magnesium, Sodium, Potassium, Fluoride, Phosphorus (total)

**Approx. Size**  
1 litre + spiking conc.

**Comments**  
If you order both Group 1 AND Group 2 you will only be sent ONE 1 Litre bottle. Test materials supplied are a Real Drinking water + spiking concentrate in deionised water.

## DRINKING WATER < 飲料水 >

### Acid Herbicides

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0909	Drinking Water	Acid Herbicides	1 litre + spiking conc.	2020/4/28	73,000	11,000
DWC0910	Drinking Water	Acid Herbicides	1 litre + spiking conc.	2020/10/6	73,000	11,000

### BTEX

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1116	Drinking Water	BTEX	1 litre + spiking conc.	2020/2/4	62,000	10,000
DWC1117	Drinking Water	BTEX	1 litre + spiking conc.	2020/4/28	65,000	11,000
DWC1118	Drinking Water	BTEX	1 litre + spiking conc.	2020/7/7	65,000	11,000
DWC1119	Drinking Water	BTEX	1 litre + spiking conc.	2020/10/6	65,000	11,000
DWC1120	Drinking Water	BTEX	1 litre + spiking conc.	2021/2/16	65,000	11,000

### Chlorine

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1215	Standard Concentrate	Chlorine	Approx 3 ml	2020/3/17	39,000	10,000
DWC1216	Standard Concentrate	Chlorine	Approx 3 ml	2020/5/19	41,000	11,000
DWC1217	Standard Concentrate	Chlorine	Approx 3 ml	2020/7/28	41,000	11,000
DWC1218	Standard Concentrate	Chlorine	Approx 3 ml	2020/11/17	41,000	11,000
DWC1219	Standard Concentrate	Chlorine	Approx 3 ml	2021/3/16	41,000	11,000

### Contamination Incident

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
EMY40	Drinking Water	Contamination incident	2 x 1 litre + 250 ml + blanks	2020/5/6	186,000	166,000
EMY41	Drinking Water	Contamination incident	2 x 1 litre + 250 ml + blanks	2020/10/1	186,000	166,000

### Fluorosurfactants (PFOS &PFOA)

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1902	Drinking Water	Fluorosurfactants (PFOS & PFOA)	Spiking Concentrate	2020/2/4	49,000	10,000
DWC1903	Drinking Water	Fluorosurfactants (PFOS & PFOA)	Spiking Concentrate	2020/7/7	51,000	10,000
DWC1904	Drinking Water	Fluorosurfactants (PFOS & PFOA)	Spiking Concentrate	2021/2/16	51,000	10,000

### Haloacetic Acids

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1707	Drinking Water	Haloacetic Acids	1 litre + spiking conc	2020/5/26	73,000	11,000
DWC1708	Drinking Water	Haloacetic Acids	1 litre + spiking conc	2020/11/10	73,000	11,000

### Hexavalent Chromium

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1808	Standard Concentrate	Hexavalent Chromium	2 ml	2020/3/17	41,000	15,000
DWC1809	Standard Concentrate	Hexavalent Chromium	2 ml	2020/5/19	43,000	16,000
DWC1810	Standard Concentrate	Hexavalent Chromium	2 ml	2020/7/28	43,000	16,000
DWC1811	Standard Concentrate	Hexavalent Chromium	2 ml	2020/11/17	43,000	16,000
DWC1812	Standard Concentrate	Hexavalent Chromium	2 ml	2021/3/16	43,000	16,000

### Inorganic Disinfection By-products

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0515	Standard Solution in Ultra Pure Water	Inorganic Disinfection By-products	125 ml	2020/3/17	53,000	10,000
DWC0516	Standard Solution in Ultra Pure Water	Inorganic Disinfection By-products	125 ml	2020/5/19	55,000	11,000
DWC0517	Standard Solution in Ultra Pure Water	Inorganic Disinfection By-products	125 ml	2020/7/28	55,000	11,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0518	Standard Solution in Ultra Pure Water	Inorganic Disinfection By-products	125 ml	2020/11/17	55,000	11,000
DWC0519	Standard Solution in Ultra Pure Water	Inorganic Disinfection By-products	125 ml	2021/3/16	55,000	11,000

### Major Inorganic Components

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0123	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/1/21	42,000	10,000
DWC0124	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/3/17	42,000	10,000
DWC0125	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/5/19	44,000	11,000
DWC0126	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/7/28	44,000	11,000
DWC0127	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/9/29	44,000	11,000
DWC0128	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2020/11/17	44,000	11,000
DWC0129	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2021/1/26	44,000	11,000
DWC0130	Drinking Water	Major Inorganic Components	1 litre + spiking conc.	2021/3/16	44,000	11,000

### Non-Routine Metals

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0415	Drinking Water	Non-Routine Metals	1 x 60 ml, 1 x 500 ml + 1 x spiking conc.	2020/3/17	68,000	10,000
DWC0416	Drinking Water	Non-Routine Metals	1 x 60 ml, 1 x 500 ml + 1 x spiking conc.	2020/5/19	71,000	11,000
DWC0417	Drinking Water	Non-Routine Metals	1 x 60 ml, 1 x 500 ml + 1 x spiking conc.	2020/7/28	71,000	11,000
DWC0418	Drinking Water	Non-Routine Metals	1 x 60 ml, 1 x 500 ml + 1 x spiking conc.	2020/11/17	71,000	11,000
DWC0419	Drinking Water	Non-Routine Metals	1 x 60 ml, 1 x 500 ml + 1 x spiking conc.	2021/3/16	71,000	11,000

## OC Pesticides

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1016	Drinking Water	OC Pesticides	1 litre + spiking conc.	2020/2/4	62,000	10,000
DWC1017	Drinking Water	OC Pesticides	1 litre + spiking conc.	2020/4/28	65,000	11,000
DWC1018	Drinking Water	OC Pesticides	1 litre + spiking conc.	2020/7/7	65,000	11,000
DWC1019	Drinking Water	OC Pesticides	1 litre + spiking conc.	2020/10/6	65,000	11,000
DWC1020	Drinking Water	OC Pesticides	1 litre + spiking conc.	2021/2/16	65,000	11,000

## OP Pesticides

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0816	Drinking Water	OP Pesticides	1 litre + spiking conc	2020/2/18	62,000	10,000
DWC0817	Drinking Water	OP Pesticides	1 litre + spiking conc	2020/5/26	65,000	11,000
DWC0818	Drinking Water	OP Pesticides	1 litre + spiking conc	2020/8/11	65,000	11,000
DWC0819	Drinking Water	OP Pesticides	1 litre + spiking conc	2020/11/10	65,000	11,000
DWC0820	Drinking Water	OP Pesticides	1 litre + spiking conc	2021/2/23	65,000	11,000

## Perchlorate

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC2002	Standard Concentrate	Perchlorate	Approx 2ml	2020/3/17	40,000	15,000
DWC2003	Standard Concentrate	Perchlorate	Approx 2ml	2020/9/29	42,000	16,000
DWC2004	Standard Concentrate	Perchlorate	Approx 2ml	2021/3/16	42,000	16,000

## Polycyclic Aromatic Hydrocarbons

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0716	Drinking Water	Polycyclic Aromatic Hydrocarbons	1 litre + spiking conc	2020/2/18	62,000	10,000
DWC0717	Drinking Water	Polycyclic Aromatic Hydrocarbons	1 litre + spiking conc	2020/5/26	65,000	11,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0718	Drinking Water	Polycyclic Aromatic Hydrocarbons	1 litre + spiking conc	2020/8/11	65,000	11,000
DWC0719	Drinking Water	Polycyclic Aromatic Hydrocarbons	1 litre + spiking conc	2020/11/10	65,000	11,000
DWC0720	Drinking Water	Polycyclic Aromatic Hydrocarbons	1 litre + spiking conc	2021/2/23	65,000	11,000

## Routine Components

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0223	Drinking Water	Routine Components	1 litre + spiking conc.	2020/1/21	42,000	10,000
DWC0224	Drinking Water	Routine Components	1 litre + spiking conc.	2020/3/17	42,000	10,000
DWC0225	Drinking Water	Routine Components	1 litre + spiking conc.	2020/5/19	44,000	11,000
DWC0226	Drinking Water	Routine Components	1 litre + spiking conc.	2020/7/28	44,000	11,000
DWC0227	Drinking Water	Routine Components	1 litre + spiking conc.	2020/9/29	44,000	11,000
DWC0228	Drinking Water	Routine Components	1 litre + spiking conc.	2020/11/17	44,000	11,000
DWC0229	Drinking Water	Routine Components	1 litre + spiking conc.	2021/1/26	44,000	11,000
DWC0230	Drinking Water	Routine Components	1 litre + spiking conc.	2021/3/16	44,000	11,000

## Routine Metals

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0323	Drinking Water	Routine Metals	500 ml	2020/1/21	53,000	10,000
DWC0324	Drinking Water	Routine Metals	500 ml	2020/3/17	53,000	10,000
DWC0325	Drinking Water	Routine Metals	500 ml	2020/5/19	55,000	11,000
DWC0326	Drinking Water	Routine Metals	500 ml	2020/7/28	55,000	11,000
DWC0327	Drinking Water	Routine Metals	500 ml	2020/9/29	55,000	11,000
DWC0328	Drinking Water	Routine Metals	500 ml	2020/11/17	55,000	11,000



申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0329	Drinking Water	Routine Metals	500 ml	2021/1/26	55,000	11,000
DWC0330	Drinking Water	Routine Metals	500 ml	2021/3/16	55,000	11,000

### Taste & Odour Chemical Identification

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
TOCHEM09	Drinking Water	Taste & Odour Chemical Identification	2 x 1 litre + blank	2020/7/16	14,3000	123,000

### Total Cyanide

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1615	Standard Concentrate	Total Cyanide	Approx 3 ml	2020/3/17	39,000	10,000
DWC1616	Standard Concentrate	Total Cyanide	Approx 3 ml	2020/5/19	41,000	11,000
DWC1617	Standard Concentrate	Total Cyanide	Approx 3 ml	2020/7/28	41,000	11,000
DWC1618	Standard Concentrate	Total Cyanide	Approx 3 ml	2020/11/17	41,000	11,000
DWC1619	Standard Concentrate	Total Cyanide	Approx 3 ml	2021/3/16	41,000	11,000

### Triazines & Urea Herbicides

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC1508	Drinking Water	Triazines and Urea Herbicides	1 litre + spiking conc.	2020/2/4	70,000	10,000
DWC1509	Drinking Water	Triazines and Urea Herbicides	1 litre + spiking conc.	2020/7/7	73,000	11,000
DWC1510	Drinking Water	Triazines and Urea Herbicides	1 litre + spiking conc.	2021/2/16	73,000	11,000

### Trihalomethanes / Chlorinated Solvents

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0616	Drinking Water	Trihalomethanes / Chlorinated Solvents	1 litre + spiking conc.	2020/2/18	62,000	10,000
DWC0617	Drinking Water	Trihalomethanes / Chlorinated Solvents	1 litre + spiking conc.	2020/5/26	65,000	11,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC0618	Drinking Water	Trihalomethanes / Chlorinated Solvents	1 litre + spiking conc.	2020/8/11	65,000	11,000
DWC0619	Drinking Water	Trihalomethanes / Chlorinated Solvents	1 litre + spiking conc.	2020/11/10	65,000	11,000
DWC0620	Drinking Water	Trihalomethanes / Chlorinated Solvents	1 litre + spiking conc.	2021/2/23	65,000	11,000

## Uranium

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWC2103	Standard Solution	Uranium	60ml	2020/7/28	41,000	10,000
DWC2104	Standard Solution	Uranium	60ml	2020/11/17	41,000	10,000

## HIGH SALINITY WATER < 高塩分水 >

### Complex Nutrients

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
HS0110	High Salinity Water	Complex Nutrients	500ml	2020/6/9	61,000	19,000
HS0111	High Salinity Water	Complex Nutrients	500ml	2020/12/1	61,000	19,000

### Minerals

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
HS0310	High Salinity Water	Minerals	500ml	2020/6/9	69,000	28,000
HS0311	High Salinity Water	Minerals	500ml	2020/12/1	69,000	28,000

### Simple Nutrients

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
HS0210	High Salinity Water	Simple Nutrients	500ml	2020/6/9	61,000	19,000
HS0211	High Salinity Water	Simple Nutrients	500ml	2020/12/1	61,000	19,000

## Trace Metals 3

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
HS0410	High Salinity Water	Trace Metals 3	500ml	2020/6/9	61,000	19,000
HS0411	High Salinity Water	Trace Metals 3	500ml	2020/12/1	61,000	19,000

## Trace Metals 4

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
HS0510	High Salinity Water	Trace Metals 4	500ml	2020/6/9	61,000	19,000
HS0511	High Salinity Water	Trace Metals 4	500ml	2020/12/1	61,000	19,000

## WASTE WATER &lt; 廃水 &gt;

## Anions

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0922	Standard Concentrate	Anions	20 ml	2020/2/11	35,000	15,000
WW0923	Standard Concentrate	Anions	20 ml	2020/4/21	37,000	16,000
WW0924	Standard Concentrate	Anions	20 ml	2020/6/16	37,000	16,000
WW0925	Standard Concentrate	Anions	20 ml	2020/8/4	37,000	16,000
WW0926	Standard Concentrate	Anions	20 ml	2020/10/13	37,000	16,000
WW0927	Standard Concentrate	Anions	20 ml	2020/12/8	37,000	16,000
WW0928	Standard Concentrate	Anions	20 ml	2021/2/9	37,000	16,000

## Demand

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0122	Standard Concentrate	Demand	20 ml	2020/2/11	37,000	15,000
WW0123	Standard Concentrate	Demand	20 ml	2020/4/21	39,000	16,000
WW0124	Standard Concentrate	Demand	20 ml	2020/6/16	39,000	16,000
WW0125	Standard Concentrate	Demand	20 ml	2020/8/4	39,000	16,000
WW0126	Standard Concentrate	Demand	20 ml	2020/10/13	39,000	16,000
WW0127	Standard Concentrate	Demand	20 ml	2020/12/8	39,000	16,000
WW0128	Standard Concentrate	Demand	20 ml	2021/2/9	39,000	16,000

## Dissolved Oxygen

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1422	Standard Concentrate	Dissolved Oxygen	2 ml	2020/2/11	40,000	15,000
WW1423	Standard Concentrate	Dissolved Oxygen	2 ml	2020/4/21	41,000	16,000
WW1424	Standard Concentrate	Dissolved Oxygen	2 ml	2020/6/16	41,000	16,000
WW1425	Standard Concentrate	Dissolved Oxygen	2 ml	2020/8/4	41,000	16,000
WW1426	Standard Concentrate	Dissolved Oxygen	2 ml	2020/10/13	41,000	16,000
WW1427	Standard Concentrate	Dissolved Oxygen	2 ml	2020/12/8	41,000	16,000
WW1428	Standard Concentrate	Dissolved Oxygen	2 ml	2021/2/9	41,000	16,000

## Hexavalent Chromium

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0722	Standard Concentrate	Hexavalent Chromium	20 ml	2020/2/11	36,000	15,000
WW0723	Standard Concentrate	Hexavalent Chromium	20 ml	2020/4/21	38,000	16,000
WW0724	Standard Concentrate	Hexavalent Chromium	20 ml	2020/6/16	38,000	16,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0725	Standard Concentrate	Hexavalent Chromium	20 ml	2020/8/4	38,000	16,000
WW0726	Standard Concentrate	Hexavalent Chromium	20 ml	2020/10/13	38,000	16,000
WW0727	Standard Concentrate	Hexavalent Chromium	20 ml	2020/12/8	38,000	16,000
WW0728	Standard Concentrate	Hexavalent Chromium	20 ml	2021/2/9	38,000	16,000

## Minerals

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0822	Standard Concentrate	Minerals	2 x 20 ml	2020/2/11	35,000	13,000
WW0823	Standard Concentrate	Minerals	2 x 20 ml	2020/4/21	36,000	14,000
WW0824	Standard Concentrate	Minerals	2 x 20 ml	2020/6/16	36,000	14,000
WW0825	Standard Concentrate	Minerals	2 x 20 ml	2020/8/4	36,000	14,000
WW0826	Standard Concentrate	Minerals	2 x 20 ml	2020/10/13	36,000	14,000
WW0827	Standard Concentrate	Minerals	2 x 20 ml	2020/12/8	36,000	14,000
WW0828	Standard Concentrate	Minerals	2 x 20 ml	2021/2/9	36,000	14,000

## Nutrients

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0322	Standard Concentrate	Nutrients	4 x 60 ml	2020/2/11	41,000	15,000
WW0323	Standard Concentrate	Nutrients	4 x 60 ml	2020/4/21	43,000	16,000
WW0324	Standard Concentrate	Nutrients	4 x 60 ml	2020/6/16	43,000	16,000
WW0325	Standard Concentrate	Nutrients	4 x 60 ml	2020/8/4	43,000	16,000
WW0326	Standard Concentrate	Nutrients	4 x 60 ml	2020/10/13	43,000	16,000
WW0327	Standard Concentrate	Nutrients	4 x 60 ml	2020/12/8	43,000	16,000
WW0328	Standard Concentrate	Nutrients	4 x 60 ml	2021/2/9	43,000	16,000

## Oil &amp; Grease

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1022	Standard Concentrate	Oil & Grease	2 ml	2020/2/11	33,000	13,000
WW1023	Standard Concentrate	Oil & Grease	2 ml	2020/4/21	35,000	14,000
WW1024	Standard Concentrate	Oil & Grease	2 ml	2020/6/16	35,000	14,000
WW1025	Standard Concentrate	Oil & Grease	2 ml	2020/8/4	35,000	14,000
WW1026	Standard Concentrate	Oil & Grease	2 ml	2020/10/13	35,000	14,000
WW1027	Standard Concentrate	Oil & Grease	2 ml	2020/12/8	35,000	14,000
WW1028	Standard Concentrate	Oil & Grease	2 ml	2021/2/9	35,000	14,000

## pH &amp; Electrical Conductivity

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0422	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/2/11	38,000	15,000
WW0423	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/4/21	40,000	16,000
WW0424	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/6/16	40,000	16,000
WW0425	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/8/4	40,000	16,000
WW0426	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/10/13	40,000	16,000
WW0427	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2020/12/8	40,000	16,000
WW0428	Standard Solution	pH & Electrical Conductivity	2 x 125 ml	2021/2/9	40,000	16,000

## Phthalates (Environmental)

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1605	Standard Concentrate	Phthalates (Environmental)	Approx 2ml	2020/6/16	44,000	16,000
WW1606	Standard Concentrate	Phthalates (Environmental)	Approx 2ml	2020/12/8	44,000	16,000



## Residues

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0222	Standard Solution	Residues	500 ml	2020/2/11	40,000	15,000
WW0223	Standard Solution	Residues	500 ml	2020/4/21	41,000	16,000
WW0224	Standard Solution	Residues	500 ml	2020/6/16	41,000	16,000
WW0225	Standard Solution	Residues	500 ml	2020/8/4	41,000	16,000
WW0226	Standard Solution	Residues	500 ml	2020/10/13	41,000	16,000
WW0227	Standard Solution	Residues	500 ml	2020/12/8	41,000	16,000
WW0228	Standard Solution	Residues	500 ml	2021/2/9	41,000	16,000

## Settleable Solids

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1322	Standard Concentrate	Settleable Solids	25 g	2020/2/11	41,000	15,000
WW1323	Standard Concentrate	Settleable Solids	25 g	2020/4/21	43,000	16,000
WW1324	Standard Concentrate	Settleable Solids	25 g	2020/6/16	43,000	16,000
WW1325	Standard Concentrate	Settleable Solids	25 g	2020/8/4	43,000	16,000
WW1326	Standard Concentrate	Settleable Solids	25 g	2020/10/13	43,000	16,000
WW1327	Standard Concentrate	Settleable Solids	25 g	2020/12/8	43,000	16,000
WW1328	Standard Concentrate	Settleable Solids	25 g	2021/2/9	43,000	16,000

## Total Cyanide

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1122	Standard Concentrate	Total Cyanide	2 ml	2020/2/11	37,000	15,000
WW1123	Standard Concentrate	Total Cyanide	2 ml	2020/4/21	39,000	16,000
WW1124	Standard Concentrate	Total Cyanide	2 ml	2020/6/16	39,000	16,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1125	Standard Concentrate	Total Cyanide	2 ml	2020/8/4	39,000	16,000
WW1126	Standard Concentrate	Total Cyanide	2 ml	2020/10/13	39,000	16,000
WW1127	Standard Concentrate	Total Cyanide	2 ml	2020/12/8	39,000	16,000
WW1128	Standard Concentrate	Total Cyanide	2 ml	2021/2/9	39,000	16,000

### Total Sulphide

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1222	Standard Concentrate	Total Sulphide	20 ml	2020/2/11	41,000	15,000
WW1223	Standard Concentrate	Total Sulphide	20 ml	2020/4/21	43,000	16,000
WW1224	Standard Concentrate	Total Sulphide	20 ml	2020/6/16	43,000	16,000
WW1225	Standard Concentrate	Total Sulphide	20 ml	2020/8/4	43,000	16,000
WW1226	Standard Concentrate	Total Sulphide	20 ml	2020/10/13	43,000	16,000
WW1227	Standard Concentrate	Total Sulphide	20 ml	2020/12/8	43,000	16,000
WW1228	Standard Concentrate	Total Sulphide	20 ml	2021/2/9	43,000	16,000

### Trace Metals 1

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0522	Standard Concentrate	Trace Metals 1	20 ml	2020/2/11	44,000	15,000
WW0523	Standard Concentrate	Trace Metals 1	20 ml	2020/4/21	47,000	16,000
WW0524	Standard Concentrate	Trace Metals 1	20 ml	2020/6/16	47,000	16,000
WW0525	Standard Concentrate	Trace Metals 1	20 ml	2020/8/4	47,000	16,000
WW0526	Standard Concentrate	Trace Metals 1	20 ml	2020/10/13	47,000	16,000
WW0527	Standard Concentrate	Trace Metals 1	20 ml	2020/12/8	47,000	16,000
WW0528	Standard Concentrate	Trace Metals 1	20 ml	2021/2/9	47,000	16,000

## Trace Metals 2

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW0622	Standard Concentrate	Trace Metals 2	20 ml	2020/2/11	43,000	15,000
WW0623	Standard Concentrate	Trace Metals 2	20 ml	2020/4/21	45,000	16,000
WW0624	Standard Concentrate	Trace Metals 2	20 ml	2020/6/16	45,000	16,000
WW0625	Standard Concentrate	Trace Metals 2	20 ml	2020/8/4	45,000	16,000
WW0626	Standard Concentrate	Trace Metals 2	20 ml	2020/10/13	45,000	16,000
WW0627	Standard Concentrate	Trace Metals 2	20 ml	2020/12/8	45,000	16,000
WW0628	Standard Concentrate	Trace Metals 2	20 ml	2021/2/9	45,000	16,000

## VOC / BTEX

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
WW1522	Standard Concentrate	BTEX / VOC	2 ml	2020/2/11	41,000	15,000
WW1523	Standard Concentrate	BTEX / VOC	2 ml	2020/4/21	44,000	16,000
WW1524	Standard Concentrate	BTEX / VOC	2 ml	2020/6/16	44,000	16,000
WW1525	Standard Concentrate	BTEX / VOC	2 ml	2020/8/4	44,000	16,000
WW1526	Standard Concentrate	BTEX / VOC	2 ml	2020/10/13	44,000	16,000
WW1527	Standard Concentrate	BTEX / VOC	2 ml	2020/12/8	44,000	16,000
WW1528	Standard Concentrate	BTEX / VOC	2 ml	2021/2/9	44,000	16,000

## SURFACE WATER <表流水>

### Major Inorganic Components

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SW0109	Surface Water	Major Inorganic Components	1 litre + spiking conc.	2020/1/28	42,000	10,000
SW0110	Surface Water	Major Inorganic Components	1 litre + spiking conc.	2020/6/23	43,000	10,000
SW0111	Surface Water	Major Inorganic Components	1 litre + spiking conc.	2021/2/2	43,000	10,000

### Routine Components

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SW0209	Surface Water	Routine Components	1 litre + spiking conc.	2020/1/28	42,000	10,000
SW0210	Surface Water	Routine Components	1 litre + spiking conc.	2020/6/23	43,000	10,000
SW0211	Surface Water	Routine Components	1 litre + spiking conc.	2021/2/2	43,000	10,000

### Metals (in 0.5% Nitric Acid)

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SW0309	Surface Water	Metals (in 0.5% Nitric Acid)	500 ml + Standard Sol	2020/1/28	62,000	10,000
SW0310	Surface Water	Metals (in 0.5% Nitric Acid)	500 ml + Standard Sol	2020/6/23	64,000	10,000
SW0311	Surface Water	Metals (in 0.5% Nitric Acid)	500 ml + Standard Sol	2021/2/2	64,000	10,000

### Toxic Metals (in 0.5% Nitric Acid)

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SW0409	Surface Water	Toxic Metals (in 0.5% Nitric Acid)	500 ml + spiking conc	2020/1/28	68,000	10,000
SW0410	Surface Water	Toxic Metals (in 0.5% Nitric Acid)	500 ml + spiking conc	2020/6/23	70,000	10,000
SW0411	Surface Water	Toxic Metals (in 0.5% Nitric Acid)	500 ml + spiking conc	2021/2/2	70,000	10,000

## INDICATOR ORGANISMS < 指標菌 >

### Bathing Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
BWM0105	Bathing Water	<i>Escherichia coli</i> & Enterococci	lyophilised sample	2020/3/11	41,000	9,000
BWM0106	Bathing Water	<i>Escherichia coli</i> & Enterococci	lyophilised sample	2020/4/29	44,000	10,000
BWM0107	Bathing Water	<i>Escherichia coli</i> & Enterococci	lyophilised sample	2020/9/23	44,000	10,000

### Drinking Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWM0140	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/1/22	41,000	9,000
DWM0141	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/3/4	41,000	9,000
DWM0142	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/4/15	50,000	10,000
DWM0143	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/5/13	50,000	10,000
DWM0144	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/6/10	50,000	10,000
DWM0145	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/7/15	50,000	10,000
DWM0146	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/9/9	50,000	10,000
DWM0147	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/10/7	50,000	10,000
DWM0148	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/11/4	50,000	10,000
DWM0149	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/12/2	50,000	10,000
DWM0150	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2021/1/20	50,000	10,000
DWM0151	Drinking Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2021/3/3	50,000	10,000
DWM0240	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/1/22	41,000	9,000
DWM0241	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/3/4	41,000	9,000
DWM0242	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/4/15	50,000	10,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWM0243	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/5/13	50,000	10,000
DWM0244	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/6/10	50,000	10,000
DWM0245	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/7/15	50,000	10,000
DWM0246	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/9/9	50,000	10,000
DWM0247	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/10/7	50,000	10,000
DWM0248	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/11/4	50,000	10,000
DWM0249	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2020/12/2	50,000	10,000
DWM0250	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2021/1/20	50,000	10,000
DWM0251	Drinking Water	Colony Counts (22°C/3 days) & Colony Counts (37°C/2 day)	lyophilised sample	2021/3/3	50,000	10,000
DWM0340	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/1/22	41,000	9,000
DWM0341	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/3/4	41,000	9,000
DWM0342	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/4/15	50,000	10,000
DWM0343	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/5/13	50,000	10,000
DWM0344	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/6/10	50,000	10,000
DWM0345	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/7/15	50,000	10,000
DWM0346	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/9/9	50,000	10,000
DWM0347	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/10/7	50,000	10,000
DWM0348	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/11/4	50,000	10,000
DWM0349	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2020/12/2	50,000	10,000
DWM0350	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2021/1/20	50,000	10,000
DWM0351	Drinking Water	Enterococci, <i>Pseudomonas</i> <i>aeruginosa</i> , <i>Clostridium</i> <i>perfringens</i>	lyophilised sample	2021/3/3	50,000	10,000



## Swimming Pool & Spa Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SPM0105	Swimming Pool & Spa Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/2/12	41,000	9,000
SPM0106	Swimming Pool & Spa Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/7/1	44,000	10,000
SPM0107	Swimming Pool & Spa Water	Total coliforms and <i>Escherichia coli</i>	lyophilised sample	2020/11/18	44,000	10,000
SPM0205	Swimming Pool & Spa Water	Total Viable Count (TVC)	lyophilised sample	2020/2/12	41,000	9,000
SPM0206	Swimming Pool & Spa Water	Total Viable Count (TVC)	lyophilised sample	2020/7/1	44,000	10,000
SPM0207	Swimming Pool & Spa Water	Total Viable Count (TVC)	lyophilised sample	2020/11/18	44,000	10,000
SPM0305	Swimming Pool & Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	lyophilised sample	2020/2/12	41,000	9,000
SPM0306	Swimming Pool & Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	lyophilised sample	2020/7/1	44,000	10,000
SPM0307	Swimming Pool & Spa Water	<i>Pseudomonas aeruginosa</i> , Coagulase Positive Staphylococci, Total Staphylococci	lyophilised sample	2020/11/18	44,000	10,000

## PARISITOLOGY < 寄生虫 >

### Drinking Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWP0123	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/1/21	41,000	15,000
DWP0124	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/3/3	41,000	15,000
DWP0125	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/5/12	44,000	16,000
DWP0126	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/7/14	44,000	16,000
DWP0127	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/9/8	44,000	16,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
DWP0128	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2020/11/3	44,000	16,000
DWP0129	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2021/1/19	44,000	16,000
DWP0130	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Count ONLY	1 ml	2021/3/2	44,000	16,000
DWP0223	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/1/21	41,000	15,000
DWP0224	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/3/3	41,000	15,000
DWP0225	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/5/12	44,000	16,000
DWP0226	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/7/14	44,000	16,000
DWP0227	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/9/8	44,000	16,000
DWP0228	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2020/11/3	44,000	16,000
DWP0229	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2021/1/19	44,000	16,000
DWP0230	Drinking Water	Cryptosporidium oocysts and/or Giardia cysts Recovery	1 ml	2021/3/2	44,000	16,000

## PATHOGENS <病原菌>

### Bathing Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
BWM0205	Bathing Water	<i>Salmonella</i> spp. (Detection)	lyophilised sample	2020/3/11	41,000	9,000
BWM0206	Bathing Water	<i>Salmonella</i> spp. (Detection)	lyophilised sample	2020/4/29	44,000	10,000
BWM0207	Bathing Water	<i>Salmonella</i> spp. (Detection)	lyophilised sample	2020/9/23	44,000	10,000
BWM0301	Bathing Water	<i>Campylobacter</i> spp. (Detection)	lyophilised sample	2020/3/11	41,000	9,000
BWM0302	Bathing Water	<i>Campylobacter</i> spp. (Detection)	lyophilised sample	2020/4/29	44,000	10,000

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
BWM0303	Bathing Water	<i>Campylobacter</i> spp. (Detection)	lyophilised sample	2020/9/23	44,000	10,000
BWM0401	Bathing Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/3/11	41,000	9,000
BWM0402	Bathing Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/4/29	44,000	10,000
BWM0403	Bathing Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/9/23	44,000	10,000

## Swimming Pool & Spa Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
SPM0401	Swimming Pool & Spa Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/2/12	41,000	9,000
SPM0402	Swimming Pool & Spa Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/7/1	44,000	10,000
SPM0403	Swimming Pool & Spa Water	<i>Escherichia coli</i> O157:H7 (Detection)	lyophilised sample	2020/11/18	44,000	10,000

## Water

申込番号	Matrix	Analytes	送付量	出荷日	技能試験費	余剰サンプル費
LG0109	Water	<i>Legionella</i> spp.	lyophilised sample	2020/5/13	45,000	13,000
LG0110	Water	<i>Legionella</i> spp.	lyophilised sample	2020/7/15	45,000	13,000
LG0111	Water	<i>Legionella</i> spp.	lyophilised sample	2020/10/7	45,000	13,000
LG0112	Water	<i>Legionella</i> spp.	lyophilised sample	2020/12/2	45,000	14,000